



Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
COLORADO**

Reflex[®] Herbicide

**EPA REG. NO. 100-993
EPA SLN NO. CO-100003**

Expiration Date: December 31, 2019

For Control of Weeds in Dry Beans

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL
MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Reflex Herbicide label.

This label must be in the possession of the user at the time of application.

Crop Use Directions

Note: This Reflex 24(c) label for dry beans may be used in all Colorado counties where dry beans are grown under sprinkler or center pivot irrigation.

Apply Reflex as a postemergent broadcast application for control or suppression of weeds listed on the federal label. Application rate depends on weed species and growth stage, but not to exceed 1 pt/A. Refer to the Spray Additive Section on the federal label for recommended spray additives. Use of crop oil concentrate can improve weed control but may reduce crop tolerance. Do not use liquid nitrogen (28% or similar) or ammonium sulfate as an additive due to potential crop injury. Use a spray volume of 10-20 GPA by ground application and a minimum of 5 GPA by aerial application.

Do not exceed 1 pint (0.25 lb ai) per acre in any one year. Do not apply to any field more than once every two years.

Refer to the federal label for rotational crop restrictions.

Restrictions

- **Reflex use under this 24(c) label can only be applied to dry beans that are grown under sprinkler or center pivot irrigation.** If the dry bean crop is lost and normal irrigation amounts for growing the dry bean crop are not followed, do not rotate to corn the following growing season only rotate to dry beans, peas, snap beans soybeans or small grains according to the plant-back intervals noted on the federal label.
- Do not apply Reflex to dry beans that are not grown under irrigation or are furrow irrigated.
- Do not graze animals on green forage or stubble.
- Do not utilize hay or straw for animal feed or bedding.
- Do not apply within 45 days of harvest.

Tank Mix and Sequential Applications

Reflex can be used sequentially or in tank mix with the following products: Assure II®, Basagran®, Dual MAGNUM®, Eptam®, Fusilade® DX, Poast®, Prowl®, Pursuit®, Raptor®, Select®, Sonalan®, or Treflan®.

Under certain conditions, the mixture of Reflex with one or more of the above mentioned broadleaf herbicides may cause a reduction in activity of any postemergence grass herbicide in the mixture.

For sequential applications allow 2-3 days after the application of the grass herbicide before applying Reflex or Reflex mixtures. Where Reflex or the Reflex mixture is applied first, apply the grass herbicide when the grass weeds begin to develop new leaves (generally around 7 days).

NOTE: Tank mix applications can result in increased crop injury as compared to either product used alone.

Chemigation:

Do not apply this product through any type of irrigation system.

Dual MAGNUM®, Fusilade® DX and Reflex® are trademarks of a Syngenta Company.

Assure II® is a trademark of E. I. du Pont de Nemours & Co., Inc.

Basagran®, Poast®, Prowl®, Pursuit®, and Raptor® are trademarks of BASF Ag Products.

Select® is a trademark of Valent Agricultural Products.

Sonalan®, and Treflan® are trademarks of Dow AgroSciences.

EPTAM® is a trademark of Gowan Company LLC.

©2015 Syngenta Crop Protection, LLC

Section 24(c) registrant:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419-8300

Label Code: CO0993095BA0115